Watershed	Desription of Project or Activity	Activity Tier
Tijuana River Watershed		
Targeted Restaurant Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Targeted Auto-Related Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier 1
Trash Cleanup Sponsorship	Sponsor local organizations' cleanup efforts to remove litter from public areas and waterways before being washed out by runoff into local water bodies	Tier II
Municipal Rain Barrel Installation	Implement program to disseminate information and promote installation of rain water collection containers through rebates or giveaways to harvest rain water for landscaping irrigation and other non potable uses, thereby reducing runoff volume with capacity to convey pollutants	Tier II
Expanded Targeted Restaurant Facilities Inspections #1	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Expanded Auto-Related Facilities Inspections #1	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Bacteria Treatment BMP	Install devices or facilities to remove bacteria from runoff before discharge from MS4 and into receiving water bodies	Tier III
Green Mall BMP Retrofit	Replace sidewalks and asphalt paving with porous concrete sidewalks and porous asphalt paving and install planter boxes along commercial/industrial right of ways in high pollutant loading areas to allow urban runoff to infiltrate into the ground, thereby reducing runoff volume and removing pollutants from the "first flush" of urban runoff	Tier II
Trash Segregation Devices	In conjunction with targeted street sweeping, install inlet devises to capture trash/debris prior to conveyance into local water bodies	Tier II
Expanded Targeted Restaurant Facilities Inspections #2	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Targeted Aggressive Street Sweeping	Use specialized street sweepers and/or increase street sweeping efforts in areas identified as metals and trash high loading areas due to high volumes of vehicular and human traffic activity to reduce the accumulation of metals and trash before washed into MS4 and local water bodies via runoff	Tier II
Expanded Auto-Related Facilities Inspections #2	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Non-CIP Project/Activity #1	Identify and implement project/activity primarily non-structural in nature to address identified pollutants and/or sources in watershed; exact project/activity to be determined	TBD
Non-CIP Project/Activity #2	Identify and implement project/activity primarily non-structural in nature to address identified pollutants and/or sources in watershed; exact project/activity to be determined	TBD
San Diego Bay Watershed		
Municipal Rain Barrel Installation	Implement program to disseminate information and promote installation of rain water collection containers through rebates or giveaways to harvest rain water for landscaping irrigation and other non potable uses, thereby reducing runoff volume with capacity to convey pollutants	Tier II
Trash Cleanup Sponsorship	Sponsor local organizations' cleanup efforts to remove litter from public areas and waterways before being washed out by runoff into local water bodies	Tier II
Targeted Auto-Related Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Targeted Metals-Related Industrial Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Chollas Creek Watershed Street Sweeping Project	Use specialized street sweepers and/or increase street sweeping efforts in areas identified as metals and trash high loading areas due to high volumes of vehicular and human traffic activity to reduce the accumulation of metals and trash before washed into MS4 and local water bodies via runoff	Tier II
Chollas Creek Water Quality Protection & Habitat Enhancement	Review SUSMP and City design standards for new developments, redevelopments, roadway improvements, and parking lots for potential incorporation of LID standards where applicable and based on geotechnical study and analysis of infiltration rates and down-gradient seepage and slope stability	Tier I
Dalbergia Street Green Mall BMP Retrofit	Replace sidewalks and asphalt paving with porous concrete sidewalks and porous asphalt paving and install planter boxes along commercial/industrial right of ways in high pollutant loading areas to allow urban runoff to infiltrate into the ground, thereby reducing runoff volume and removing pollutants from the "first flush" of urban runoff	Tier II

Targeted Restaurant Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Trash Segregation BMP	In conjunction with targeted street sweeping, install inlet devises to capture	Tier II
Memorial Park Green Lot BMP Retrofit	trash/debris prior to conveyance into local water bodies  Replace asphalt paving of parking lots with porous asphalt paving and install planter boxes in high pollutant loading areas to allow urban runoff to infiltrate into the ground, thereby reducing runoff volume and removing pollutants from the "first flush" of urban runoff	Tier II
Bacteria Treatment BMP	Install devices or facilities to remove bacteria from runoff before discharge from MS4 and into receiving water bodies	Tier III
Large LID BMP	Identify site for and construct BMP that reduces runoff volume and/or treats runoff of pollutants of concern at project site and associated watershed; exact project type to be determined	TBD
Targeted Municipal Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Targeted Residential Activity Inspections #1	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Targeted Residential Activity Inspections #2	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Targeted Residential Activity Inspections #3	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Targeted Residential Activity Inspections #4	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Mission Bay Watershed (includes La Jolla) Targeted Restaurant Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Targeted Auto-Related Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Trash Cleanup Sponsorship	Sponsor local organizations' cleanup efforts to remove litter from public areas and waterways before being washed out by runoff into local water bodies	Tier II
Municipal Rain Barrel Installation	Implement program to disseminate information and promote installation of rain water collection containers through rebates or giveaways to harvest rain water for landscaping irrigation and other non potable uses, thereby reducing runoff volume with capacity to convey pollutants	Tier II
Targeted Residential Activity Inspections #1	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Targeted Residential Activity Inspections #2	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Kellogg Park Green Lot BMP Retrofit	Replace asphalt paving of parking lots with porous asphalt paving and install planter boxes in high pollutant loading areas to allow urban runoff to infiltrate into the ground, thereby reducing runoff volume and removing pollutants from the "first flush" of urban runoff	Tier II
Mt. Abernathy Green Street BMP Retrofit	Replace sidewalks and asphalt paving with porous concrete sidewalks and porous asphalt paving and install planter boxes along residential right of ways in high pollutant loading areas to allow urban runoff to infiltrate into the ground, thereby reducing runoff volume and removing pollutants from the "first flush" of urban runoff	Tier II
Green Street BMP Retrofit #1	Replace sidewalks and asphalt paving with porous concrete sidewalks and porous asphalt paving and install planter boxes along residential right of ways in high pollutant loading areas to allow urban runoff to infiltrate into the ground, thereby reducing runoff volume and removing pollutants from the "first flush" of urban runoff	Tier II
Hydrodynamic Separator Installation	In conjunction with targeted street sweeping, install inlet devises to capture trash/debris prior to conveyance into local water bodies	Tier II
La Jolla Dry Weather Flow Diversions	Install inlet system to redirect dry weather runoff into sewage system for treatment instead of directly discharging often pollutant-laden dry weather and "first flush" flows into receiving water bodies	Tier III
La Jolla/Mission Bay Dry Weather Flow Diversions/Flap Gates	Install inlet system to redirect dry weather runoff into sewage system for treatment instead of directly discharging often pollutant-laden dry weather and "first flush" flows into receiving water bodies	Tier III
La Jolla Tecolote Targeted Aggressive Street Sweeping	Use specialized street sweepers and/or increase street sweeping efforts in areas identified as metals and trash high loading areas due to high volumes of vehicular and human traffic activity to reduce the accumulation of metals and trash before washed into MS4 and local water bodies via runoff	Tier II

BMP Retrofit #2 Replace sidewalks and asphalt pa	aving with porous concrete sidewalks and	Tier II
in high pollutant loading areas to	planter boxes along residential right of ways allow urban runoff to infiltrate into the ground, and removing pollutants from the "first flush" of	
mal-Facilities Inspections Identify likely pollutant source faci	cilities based on geospatial analysis of facility focus facility inspections and tailor se problem facilities	Tier I
	cilities based on geospatial analysis of facility focus facility inspections and tailor se problem facilities	Tier I
	cilities based on geospatial analysis of facility focus facility inspections and tailor se problem facilities	Tier I
River Watershed		
	cilities based on geospatial analysis of facility focus facility inspections and tailor se problem facilities	Tier I
and waterways before being wash	nup efforts to remove litter from public areas hed out by runoff into local water bodies	Tier II
water collection containers through	te information and promote installation of rain gh rebates or giveaways to harvest rain water er non potable uses, thereby reducing runoff ollutants	Tier II
	cilities based on geospatial analysis of facility focus facility inspections and tailor se problem facilities	Tier I
	cilities based on geospatial analysis of facility focus facility inspections and tailor se problem facilities	Tier I
ation Devices In conjunction with targeted street trash/debris prior to conveyance it	et sweeping, install inlet devises to capture into local water bodies	Tier II
	n/sediment problems and engineer and solutions that reduce runoff flow velocity and olids	Tier III
	n/sediment problems and engineer and solutions that reduce runoff flow velocity and blids	Tier III
	cilities based on geospatial analysis of facility focus facility inspections and tailor se problem facilities	Tier I
devices through rebates or giveav	te information and promote installation of ways to reduce over-irrigation and prevent scaped areas, thereby reducing dry weather nvey pollutants	Tier II
· · · · · · · · · · · · · · · · · · ·	cilities based on geospatial analysis of facility focus facility inspections and tailor se problem facilities	Tier I
itos Watershed		
locations and monitoring data to f education/outreach efforts to thos	focus facility inspections and tailor se problem facilities	Tier I
locations and monitoring data to f education/outreach efforts to thos	focus facility inspections and tailor	Tier I
	nup efforts to remove litter from public areas hed out by runoff into local water bodies	Tier II
water collection containers through	te information and promote installation of rain gh rebates or giveaways to harvest rain water er non potable uses, thereby reducing runoff ollutants	Tier II
	ilities based on geospatial analysis of facility focus facility inspections and tailor se problem facilities	Tier I
	ilities based on geospatial analysis of facility focus facility inspections and tailor se problem facilities	Tier I
c Separator Installation In conjunction with targeted street trash/debris prior to conveyance i	et sweeping, install inlet devises to capture into local water bodies	Tier II
	cilities based on geospatial analysis of facility focus facility inspections and tailor se problem facilities	Tier I
allow for settling of suspended so Identify specific sites with erosion construct site-specific structural is allow for settling of suspended so allow for settling of suspended so regeted Restaurant Facilities Inspections  Identify likely pollutant source facilications and monitoring data to feducation/outreach efforts to thos troller Rebate Program  Implement program to disseminat devices through rebates or giveau irrigation flows from leaving lands runoff volume with capacity to contain. Identify likely pollutant source facilications and monitoring data to feducation/outreach efforts to thos deducation/outreach efforts to thos suitos Watershed  Identify likely pollutant source facilications and monitoring data to feducation/outreach efforts to thos in al-Related Facilities Inspections  Identify likely pollutant source facilications and monitoring data to feducation/outreach efforts to those posponsorship  Sponsor local organizations' clear and waterways before being wash in Barrel Installation  Implement program to disseminat water collection containers through for landscaping irrigation and othe volume with capacity to convey professional program to disseminat water collection containers through for landscaping irrigation and othe volume with capacity to convey professional program to disseminate water collection containers through for landscaping irrigation and othe volume with capacity to convey professional program to disseminate water collection containers through for landscaping irrigation and othe volume with capacity to convey professional program to disseminate water collection containers through for landscaping irrigation and othe volume with capacity to convey professional program to disseminate water collection containers through for landscaping irrigation and othe volume with capacity to convey professions and monitoring data to feducation/outreach efforts to those dicipal Facilities Inspections  Identify likely pollutant source facilications and monitoring data to feducation/outreach efforts to	polids In/sediment problems and engineer and solutions that reduce runoff flow velocity and solutions that reduce runoff flow velocity and solutions that reduce runoff flow velocity and solutions are separated on geospatial analysis of facility focus facility inspections and tailor see problem facilities  te information and promote installation of ways to reduce over-irrigation and prevent scaped areas, thereby reducing dry weather nowey pollutants  clitices based on geospatial analysis of facility focus facility inspections and tailor see problem facilities  clitices based on geospatial analysis of facility focus facility inspections and tailor see problem facilities  clitices based on geospatial analysis of facility focus facility inspections and tailor see problem facilities  unup efforts to remove litter from public areas hed out by runoff into local water bodies  te information and promote installation of rain gh rebates or giveaways to harvest rain water er non potable uses, thereby reducing runoff sollutants  clitities based on geospatial analysis of facility focus facility inspections and tailor see problem facilities  clitities based on geospatial analysis of facility focus facility inspections and tailor see problem facilities  cet sweeping, install inlet devises to capture into local water bodies  clitities based on geospatial analysis of facility focus facility inspections and tailor see problem facilities  cet sweeping, install inlet devises to capture into local water bodies	Tier I  Tier I  Tier I  Tier I  Tier II  Tier II  Tier II  Tier II

Green Mall BMP Retrofit	Replace sidewalks and asphalt paving with porous concrete sidewalks and porous asphalt paving and install planter boxes along commercial/industrial right of ways in high pollutant loading areas to allow urban runoff to infiltrate into the ground, thereby reducing runoff volume and removing pollutants from the "first flush" of urban runoff	Tier II
Expanded Restaurant Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Residential Rain Barrel Program/Low Impact Gardens	Implement program to disseminate information and promote installation of rain water collection containers through rebates or giveaways to harvest rain water for landscaping irrigation and other non potable uses, thereby reducing runoff volume with capacity to convey pollutants	Tier II
Expanded Landscaping-Related Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
San Diego River Watershed		
Targeted Restaurant Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Targeted Animal-Related Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Trash Cleanup Sponsorship	Sponsor local organizations' cleanup efforts to remove litter from public areas and waterways before being washed out by runoff into local water bodies	Tier II
Municipal Rain Barrel Installation	Implement program to disseminate information and promote installation of rain water collection containers through rebates or giveaways to harvest rain water for landscaping irrigation and other non potable uses, thereby reducing runoff volume with capacity to convey pollutants	Tier II
Targeted Landscaping-Related Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Targeted Municipal Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Hydrodynamic Separator Installation	In conjunction with targeted street sweeping, install inlet devises to capture trash/debris prior to conveyance into local water bodies	Tier II
Expanded Targeted Landscaping-Related Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Large LID BMP	Identify site for and construct BMP that reduces runoff volume and/or treats runoff of pollutants of concern at project site and associated watershed; exact project type to be determined	TBD
Green Mall BMP Retrofit	Replace sidewalks and asphalt paving with porous concrete sidewalks and porous asphalt paving and install planter boxes along commercial/industrial right of ways in high pollutant loading areas to allow urban runoff to infiltrate into the ground, thereby reducing runoff volume and removing pollutants from the "first flush" of urban runoff	Tier II
Expanded Muncipal Facilities Inspections	Identify likely pollutant source facilities based on geospatial analysis of facility locations and monitoring data to focus facility inspections and tailor education/outreach efforts to those problem facilities	Tier I
Irrigation Controller Rebate Program	Implement program to disseminate information and promote installation of devices through rebates or giveaways to reduce over-irrigation and prevent irrigation flows from leaving landscaped areas, thereby reducing dry weather runoff volume with capacity to convey pollutants	Tier II
Non-CIP Project/Activity	Identify and implement project/activity primarily non-structural in nature to address identified pollutants and/or sources in watershed; exact project/activity to be determined	TBD
Abbreviations BMP Best Management Practices LID Low Impact Development CIP Capital Improvement Project		